

ODISHA COMPUTER APPLICATION CENTRE OCAC BUILDING, N-1/7-D, ACHARYA VIHAR SQUARE, NEXT TO PLANETORIUM, BHUBANESWAR – 751013

Our Ref. No.OCAC-SEGP-INFRA-0009-2025 - 626 /Date 11/02/2025

Short Quotation Call Notice

Sealed quotations are invited from authorized supplier/dealer/distributor having valid document as mentioned below to supply the following item(s) in the Office of the Hon'ble Chief Minister, Bhubaneswar.

SI.No.		Qty.	Unit	Rate	GST	Amount	Total
	Description			(Rs.)		(Rs.)	(Rs.)
1	Desktop Computer having the following	2	Nos.				
	configuration:						
	Intel Corei5 13th Gen. Processor, 16GB						
	RAM, 512GB NVMe M.2 SSD, 24" FHD						
	Display with integrated webcam, Dual						
	Speaker(2Watt per channel), Microsoft	1					
	Windows 11 Professional preloaded with						
	license, Keyboard & Mouse, WiFi,						
	Bluetooth with 3 years warranty. Detail						
	Specification at Annexure-I.						
2	1000VA Line Interactive UPS with 2 Years	2	Nos.				
	warranty.						
	Detail Specification at Annexure-II.						
	Grand Total Rs.:						

The sealed quotations should reach the undersigned on or before 18/02/2025 by 4:00 PM. The authority reserves the right to accept/reject any or all the quotation without assigning any reason thereof. The interested firms should submit their quotations.

Document to be enclosed:

- 1. GST Registration certificate.
- 2. OEM Authorization Certificate

General Manager(Admn)

C.C: Notice Board and website of OCAC for information of the vendors.

N.B.: The material should be delivered within 1 Week of issue of Purchase Order.

ANNEXURE-I

Specification of Desktop Computer

SI. No	Item	Description			
1	Form Factor	Micro Tower/SFF			
2	Processor	Intel Core i5-13500 with Intel UHD Graphics Or Higher			
3	Chipset	Q670 and Higher			
4	Memory and stoage	16GB DDR4- 3200 Mhz, Memory expandability up to 64 GB with 2 DIMM Slots			
5	SSD	512 GB NVMe M.2 SSD			
6	Optical Drive	NA			
7	Graphics	Intel UHD Graphics or higher			
8	Audio	Integrated audio controller with internal speaker of at least 2W			
9	Operating System	Windows 11 Professional			
10	Networking	Integrated 10/100/1000			
11	Wireless Connectivity	Wi-Fi 6 + Bluetooth or latest			
12	Ports	Video: 1 HDMI 1.4, 1 VGA (Video ports should be functional in spite of installation of graphic card if required)			
13		USB: 4 USB 3.2 Gen 1, 2 USB 3.2 Gen 2 (Min 10 GBPS Port), 2 USB 2.0, 3 SATA Ports, 1 Serial Port			
14	Slots	Minimum 3 including 1 PCI and 2 M.2 slots			
15	Keyboard	USB Wired Keyboard,			
16	Mouse	USB Optical Wired Mouse			
17	Power Supply	180 - 260 W with 85-92% efficiency or better			
	Security	TPM 2.0			
10		Integrated Intrusion Sensor			
18		Integrated cable lock slot for keyboard and Mouse			
		Drive Lock for hard disk			
	Certifications	Microsoft Windows 11			
10		FCC,CE, RoHS, UL, EPEAT, Energy Star			
19		ISO 9001,14001,20001/27001 for OEM, Top 3 OEM as per latest IDS Report			
20	Display	24" with Minimum resolution of 1920X1080 and integrated webcam, with VGA, HDMI, Display, Dual Speaker(2Watt per channel), TCO 9.0 Certified (Same OEM as desktop)			
21	Warranty	3 Years onsite			
22	MS Office	Home & Student 2021 or higher			

ANNEXURE-II

Specification of 1000 VA Line Interactive UPS

SI.No.	Parameter		Specification		
1	CAPACITY	VA/W	1000 VA/600 Watt.		
2	INPUT	Voltage	220/230 VAC		
		Voltage Range	140-300 VAC		
		Frequency Range	50 Hz		
3	OUTPUT	AC Voltage Regulation (Batt. Mode)	±10%		
		Frequency Range (Batt. Mode)	50 Hz ±1 Hz		
3		Transfer Time	Typical 2-6 msec.		
		Waveform (Batt. Mode)	Simulated Sine Wave		
		Overload	110% +/-10% Shutdown after 5 mins		
4	BATTERY	Battery Type & Number	12 V/7 Ah x 2		
		Typical Recharge Time	6-8 hours up to 90% capacity		
5	TRANSFER TIME	Minimum line break for transfer to battery	Typical 4-8 msec.		
	INDICATORS	AC Mode	lighting		
6		Battery Mode	flashing		
		Fault	lighting		
7	ALARMS	Battery Mode,Low Battery,Overload,Battery replacement,fault	Audiable alarm is to be provided		
8	PROTECTION	Full Protection	Overload, discharge, and overcharge protection		
	ENVIRONMENT	Operating Environment	0-40 Deg. C.		
		Storage Temp	-15°C to 50°C		
9		Humidity	0-95 % RH @ 0- 40°C (non- condensing)		
		Noise Level	Less than 40dB		
	OTHER	After Sales Support	2 years onsite comprehensive		
		BIS registration	Available		
10		NABL Approved government lab test report.	Available		
		Service Centre Presence	OEM should have its own service centre present in Odisha		